

07-19-04 12:48PM FROM-Merchant & Gould

6123329081

T-741 P.004/012 F-080

Date Mailed: July 19, 2004

Sheet 1 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)		Docket Number: 11669.118USDI	Application Number: 10/823,006
		Applicant: COCHRAN ET AL	
		Filing Date: APRIL 12, 2004	Group Art Unit: 1639
		Customer No.: 23552	

U.S. PATENT DOCUMENTS						
EXAMINER INITIAL	DOCUMENT NO.	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
	4,833,092	05/23/1989	Grysen			
	5,223,409	06/29/1993	Ledner et al.			
	5,334,615	07/09/1995	Baker et al.			
	5,627,024	05/06/1997	Maruyama et al.			
	5,766,905	06/16/1998	Studier et al.			
	5,821,047	10/13/1998	Garnard et al.			
	5,824,483	10/20/1998	Hocken, Jr. et al.			
	5,830,851	11/03/1998	Wrighton et al.			
	5,866,341	02/02/1999	Spinella et al.			
	5,885,780	03/23/1999	Olivera et al.			
	6,013,458	01/11/2000	Kahn et al.			
	6,180,343	01/30/2001	Anderson et al.			
	6,475,806	11/05/2002	Benjamin et al.			
	6,482,591	11/19/2002	Lockhart et al.			

FOREIGN PATENT DOCUMENTS						
DOCUMENT NO.	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION	
					YES	NO
WO 92/00091	01/09/1992	PCT				
WO 94/03494	02/17/1994	PCT				
WO 95/01800	01/19/1995	PCT				
WO 95/34683	12/21/1995	PCT				
WO 97/29183	08/14/1997	PCT				
WO 98/49168	11/05/1998	PCT				
WO 99/51625	10/14/1999	PCT				
WO 00/20574	04/13/2000	PCT				

EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

*Substitute Disclosure Statement Form (PTO-1449)

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

PAGE 4/12* RCVD AT 7/19/2004 2:06:21 PM (Eastern Daylight Time)* SVR:USPTO-EFaxRF-17* DMS:8729306* CSID:6123329081* DURATION (mm:ss):04:08

Date Mailed: July 19, 2004

Sheet 2 of 9

FORM 1449^a INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)		Dober Number: 11669.I18USDI	Application Number: 10823,006
		Applicant: COCHRAN ET AL	
		Filing Date: APRIL 12, 2004	Group Art Unit: 1639
		Customer No.: 23552	

	WO 00/77194	12/21/2000	PCT					
OTHER DOCUMENTS (including Author, Title, Date, Pertinent Pages, Etc.)								
		Alexander et al., "Thermodynamic Analysis of the Folding of the Streptococcal Protein G IgG-Binding Domains B1 and B2: Why Small Proteins Tend to have High Denaturation Temperatures", <i>Biochemistry</i> , 31:3597-3603 (1992)						
		Allco et al., "Finding prospective partners in the library: the two-hybrid system and phage display find a match", <i>JIBS</i> , 20:511-516 (1995)						
		Ball et al., "Conformational Constraints: Nonpeptide β -Turn Mimics", <i>Journal of Molecular Recognition</i> , 3(2):55-64 (1990).						
		Barbas, "Recent advances in phage display", <i>Current Opinion in Biotechnology</i> , 4:526-530 (1993)						
		Barthe et al., "Synthesis and NMR solution structure of an α -helical hairpin stapled with two disulfide bridges", <i>Protein Science</i> , 13:942-955 (2000) (abstract only)						
		Bass et al., "Hormone Phage: An Enrichment Method for Variant Proteins with Altered Binding Properties", <i>Proteins: Structure, Function, and Genetics</i> , 8(4):303-314 (1990)						
		Becktel and Schleibman, "Protein Stability Curves", <i>Biopolymers</i> , 26:1859-1877 (1987)						
		Bischi et al., "A Conformationally Homogeneous Combinatorial Peptide Library", <i>J. Mol. Biol.</i> , 247:154-160 (1995)						
		Blanchi et al., "High level expression and rational matagenesis of a designed protein, the minobody. From an insoluble to a soluble molecule.", <i>Journal of Molecular Biology</i> , 236(2):649-659 (February 18, 1994).						
		Blanco et al., "A short linear peptide that folds into a native stable β -hairpin in aqueous solution", <i>Structural Biology</i> , 1(9):584-590 (September 1994)						
		Blanco, P. et al., "NMR Evidence of a Short Linear Peptide That Folds into a β -Hairpin in Aqueous Solution", <i>J. Am. Chem. Soc.</i> , 115(13):5887-5888 (1993).						
		Bradbury and Cotman, "The use of phage display in neurobiology", <i>Trends in Neuroscience</i> , 18:243-249 (1995)						
		Chao and Klug, "Designing DNA-binding proteins on the surface of filamentous phage", <i>Current Opinion in Biotechnology</i> , 6:431-436 (1995)						
		Chothia, "Coiling of β -Pleated Sheets", <i>J. Mol. Biol.</i> , 163:107-117 (1983)						
		Chou, P. et al., "Empirical Predictions Of Protein Conformation", <i>Ann. Rev. Biochem.</i> , 47:251-276 (1978).						
		Christmann et al., "The cystine knot of a squash-type protease inhibitor as a structural scaffold for <i>Escherichia coli</i> cell surface display of conformationally constrained peptides", <i>Protein Engineering</i> , 12(9):797-806 (September 1999).						
		Clackson and Wells, "In vitro selection from protein and peptide libraries", <i>Trends Biotechnol.</i> , 12:173-184 (1994)						
		Clackson et al., "Making antibody fragments using phage display libraries", <i>Nature</i> , 352:624-628 (1991)						

EXAMINER	DATE CONSIDERED
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

07-10-04 12:50PM FROM-Merchant & Gould

6123329081

T-741 P.006/012 F-088

Date Mailed: July 19, 2004

Sheet 3 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)		Docket Number: 11669.118US01	Application Number: 10/823,006
		Applicant: COCHRAN ET AL.	
		Filing Date: APRIL 12, 2004	Group Art/Unit: 1639
		Customer No.: 23552	

	Cochran et al., "A Minimal Peptide Scaffold for B-Turn Display: Optimizing a Strand Position in Disulfide-Cyclized β -Hairpins", <i>J. Am. Chem. Soc.</i> , 123:625-632 (2001)
	Cochran, A., "Antagonists of protein-protein interactions", <i>Chemistry and Biology</i> , 7(4):R85-R94 (April 2000)
	Constantine, K. et al., "Structural and Dynamic Properties of a β -Hairpin-Forming Linear Peptide. 1. Modeling Using Ensemble-Averaged Constraints", <i>J. Am. Chem. Soc.</i> , 117(44):10841-10854 (1995).
	Corese et al., "Identification of biologically active peptides using random libraries displayed on phage", <i>Current Opinion in Biotechnology</i> , 6:73-80 (1995)
	Corese et al., "Selection of biologically active peptides by phage display of random peptide libraries", <i>Current Opinion in Biotechnology</i> , 7:616-621 (1996)
	Cunningham and Wells, "High-Resolution Epitope Mapping of IgG-Receptor Interactions by Alanine-Scanning Mutagenesis", <i>Science</i> , 244:1081-1085 (1989)
	Cwirka et al., "Peptide agonist of the thrombopoietin receptor as potent as the natural cytokine", <i>Science</i> , 276(5319):1696-1699 (June 13, 1997)
	Cwirka et al., "Peptides on phage: a vast library of peptides for identifying ligands", <i>Proc. Natl. Acad. Sci. USA</i> , 87(16):6378-6382 (1990)
	de Alba, E. et al., "Conformational investigation of designed short linear peptides able to fold into β -hairpin structures in aqueous solution", <i>Folding & Design</i> , 1(2):133-144 (February 26, 1996).
	de Alba, E. et al., "Cross-strand side-chain interactions versus turn conformation in β -hairpins", <i>Protein Sciences</i> , 6:2348-2360 (1997).
	de Alba, E. et al., "Interactions responsible for the pH dependence of the β -hairpin conformational population formed by a designed linear peptide", <i>Eur. J. Biochem.</i> , 233:283-292 (1995).
	de Alba, E. et al., "Turn Residue Sequence Determines β -Hairpin Conformation in Designed Peptides", <i>J. Am. Chem. Soc.</i> , 119(1):175-183 (1997).
	Domingo et al., "Synthesis of a mixture of cyclic peptides based on the Bowman-Birk reactive site loop to screen for serine inhibitors", <i>International Journal of Protein and Peptide Research</i> , 40:79-87 (1995)
	Dunn, I.S., "Phage display of proteins", <i>Current Opinion in Biotechnology</i> , 7:547-553 (1996)
	Efimov et al., "Bacteriophage T4 as a Surface Display Vector", <i>Virus Genes</i> , 10(2):173-177 (1995)
	Espinosa and Gellman, "A Designed β -Hairpin Containing a Natural Hydrophobic Cluster", <i>Angew. Chem. Int. Ed.</i> , 39(13):2330-2333 (2000)
	Fairbrother et al., "Novel Peptides Selected to Bind Vascular Endothelial Growth Factor Target the Receptor-Binding Site", <i>Biochemistry</i> , 37: 17754-17764 (1998)
	Falconer et al., "Chain Reversals in Model Peptides: Studies of Cysteine-Containing Cyclic Peptides. 3. Conformational Free Energies of Cyclization of Tetrapeptides of Sequence Ac-Cys-Pro-X-Cys-NHMe", <i>J. Am. Chem. Soc.</i> , 114:4036-4042 (1992)

EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

07-19-04 12:50PM FROM-Merchant & Gould

6123329081

T-741 P.007/012 F-088

Date Mailed: July 19, 2004

Sheet 4 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)		Docket Number: 11669.118USDI	Application Number: 10/823,006
		Applicant: COCHRAN ET AL	
		Filing Date: APRIL 12, 2004	Group Art Unit: 1639
		Customer No.: 23552	

	Favre et al., "Structural Mimicry of Canonical Conformations in Antibody Hypervariable Loops Using Cyclic Peptides Containing a Heterochiral Diproline Template", <i>J. Am. Chem. Soc.</i> , 121:2679-2685 (1999)
	Felici, "Selection of antibody ligands from a large library of oligopeptides expressed on a multivalent exposition Vector", <i>J. Mol. Biol.</i> , 222:301-310 (1991)
	Fowlkes et al., "Multipurpose Vectors for Peptide Expression on the M13 Viral Surface", <i>BioTechniques</i> , 13(3):422-427 (1992)
	Friedrichs, M. et al., "Structural and Dynamic Properties of a β -Hairpin-Forming Linear Peptide. 2. ^{13}C NMR Relaxation Analysis", <i>J. Am. Chem. Soc.</i> , 117(44):10855-10864 (1995).
	Gill and von Hippel, "Calculation of Protein Extinction Coefficients from Amino Acid Sequence Data", <i>Analytical Biochemistry</i> , 182:319-326 (1989)
	Gram et al., "In vitro selection and affinity maturation of antibodies from a naive combinatorial immunoglobulin library", <i>Proc. Natl. Acad. Sci. USA</i> , 89(8):3576-3580 (1992)
	Greenwood et al., "Peptides from Plasmodium falciparum Circumsporozoite Protein as Antigens", <i>J. Mol. Biol.</i> , 220:821-827 (1991)
	Griffiths-Jones, S. et al., "Dissecting the Stability of a β -Hairpin Peptide that Folds in Water: NMR and Molecular Dynamics Analysis of the β -Turn and β -Strand Contributions to Folding", <i>J. Mol. Biol.</i> , Vol. 292, pp. 1051-1069 (1999).
	Griffiths-Jones, S. et al., "NMR evidence for the nucleation of a β -hairpin peptide conformation in water by an Asp-Gly type I' β -turn sequence", <i>Chem. Commun.</i> , pp. 789-790 (1998).
	Gururaja et al., "A novel artificial loop scaffold for the noncovalent constraint of peptides", <i>Chem. & Biol.</i> , 7:515-527 (2000)
	Haque, T. et al., "Insights on β -Hairpin Stability in Aqueous Solution from Peptides with Enforced Type I' and Type II' β -Turns", <i>J. Am. Chem. Soc.</i> , 119:2303-2304 (1997).
	Havel, "An Evaluation of Computational Strategies for Use in the Determination of Protein Structure from Distance Constraints Obtained by Nuclear Magnetic Resonance", <i>Prog. Biophys. Molec. Biol.</i> , 56:43-78 (1991)
	Hegde et al., "Cloning in a bacteriophage lambda vector for the display of binding proteins on filamentous phage", <i>Gene</i> , 137:85-91 (1993)
	Honda et al., "Thermodynamics of a β -Hairpin Structure: Evidence for Cooperative Formation of Folding Nucleus", <i>J. Mol. Biol.</i> , 295:269-278 (2000)
	Hoogenboom et al., "Multi-subunit proteins on the surface of filamentous phage: methodologies for displaying antibody (Fab) heavy and light chains", <i>Nucleic Acids Research</i> , 19(15):4133-4137 (1991)
	Hutchinson, E. et al., "Determinants of strand register in antiparallel β -sheets of proteins", <i>Protein Science</i> , 7:2287-2300 (1998).
	Iannolo et al., "Modifying Filamentous Phage Capsid: Limits in the Size of the Major Capsid Protein", <i>J. Mol. Biol.</i> , 248:835-844 (1995)

EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Date Mailed: July 19, 2004

Sheet 1 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION <i>(Use several sheets if necessary)</i>		Docket Number: 11669.118USDI	Application Number: 10/233,006
		Applicant: COCHRAN ET AL.	
		Filing Date: APRIL 12, 2004	Group Art Unit: 1639
		Customer No.: 23552	

	Jiang et al., "Display of a PorA peptide from <i>Neisseria meningitidis</i> on the bacteriophage T4 capsid surface", <i>Chemical Abstracts</i> , (Abstract No. 44380q) 128(5):147 (1998)
	Johnson et al., "Analysis of Data from the Analytical Ultracentrifuge by Nonlinear Least-Squares Techniques", <i>Bioophys. J.</i> , 36:575-588 (December 1981)
	Kang et al., "Linkage of recognition and replication functions by assembling combinatorial antibody Fab libraries along phage surfaces", <i>Proc. Natl. Acad. Sci. USA</i> , 88:4363-4366 (1991)
	Karle et al., "Cyclic Cystine Peptides. Antiparallel B-Sheet Conformation for the 2-Membered Ring in Boc-Cys-Val-Ala-Ala-Lys-Cys-NHMe", <i>American Chemical Society</i> , 110:1958-1963 (1988)
	Kessler et al., "Peptide Conformations. 42/ ¹³ C Conformation of Side Chains in Peptides Using Heteronuclear Coupling Constants Obtained by Two-Dimensional NMR Spectroscopy", <i>J. Am. Chem. Soc.</i> , 109:6927-6933 (1987)
	Kieber-Emmons et al., "Therapeutic peptides and peptidomimetics", <i>Current Opinion in Biotechnology</i> , 8(4):435-441 (Aug. 1997)
	Kim, C. et al., "Thermodynamic β-sheet propensities measured using a zinc-finger host peptide", <i>Nature</i> , 362:267-270 (March 18, 1993).
	Kobayashi, N. et al., "Fragment Reconstitution of a Small Protein: Disulfide Mutant of a Short C-Terminal Fragment Derived from Streptococcal Protein G", <i>Biochemistry</i> , 38(11):3228-3234 (1999).
	Kobayashi, N. et al., "Role of Side-chains in the Cooperative β-Hairpin Folding of the Short C-Terminal Fragment Derived from Streptococcal Protein G", <i>Biochemistry</i> , 39(21): 6564-6571 (2000).
	Kortemme et al., "Design of a 20-Amino Acid, Three-Stranded B-Sheet Protein", <i>Science</i> , 281:253-256 (July 10, 1998)
	Ladner, R., "Constrained peptides as binding entities", <i>TIBTECH</i> , 13:426-430 (Oct. 1995)
	Lam et al., "A new type of synthetic peptide library for identifying ligand-binding activity", <i>Nature</i> , 354:82-84 (1991).
	Lin and Kim, "Urea Dependence of Thiol-Disulfide Equilibria in Thioredoxin: Confirmation of the Linkage Relationship and a Sensitive Assay for Structure", <i>Biochemistry</i> , 28(12):5282-5287 (1989)
	Lindqvist and Naderi, "Peptide presentation by bacteriophage P4", <i>FFMS Microbiology Review</i> , 17:33-39 (1995)
	Livnah et al., "Functional mimicry of a protein hormone by a peptide agonist: the EPO receptor complex at 2.8 Å", <i>Science</i> , 273(5274):464-471 (July 26, 1996)
	Lowman and Wells, "Monovalent Phage Display: A method for Selecting Variant Proteins from Random Libraries", <i>Methods: Comp. to Methods Enzymol.</i> , 3(3):205-216 (1991)
	Lowman et al., "Molecular mimics of insulin-like growth factor 1 (IGF-1) for inhibiting IGF-1: IGF-binding protein interactions", <i>Biochemistry</i> , 37(25):8870-8878 (June 23, 1998)
	Lowman et al., "Selecting High-Affinity Binding Proteins by Monovalent Phage Display", <i>Biochemistry</i> , 30(45):10832-10838 (1991)

EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Date Mailed: July 19, 2004

Sheet 1 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT		Docket Number: 11669.118USD1	Application Number: 10/823,006
IN AN APPLICATION (Use several sheets if necessary)		Applicant: COCHRAN ET AL	
		Filing Date: APRIL 12, 2004	Group Art Unit: 1639
		Customer No.: 24553	

	Makowski, L., "Structural constraints on the display of foreign peptides on filamentous bacteriophages", <i>Gene</i> , 128:9-11 (1993)
	Malik and Perham, "New vectors for peptide display on the surface of filamentous bacteriophage", <i>Gene</i> , 171:49-51 (1996)
	Markland et al., "Design, construction and function of a multicopy display vector using fusions to the major coat protein of bacteriophage M13", <i>Gene</i> , 109:13-19 (1991)
	Marks et al., "By-passing immunization: human antibodies from V-gene libraries displayed on phage", <i>J. Mol. Biol.</i> , 227:581-597 (1991)
	Mattos, C. et al., "Analysis of Two-residue Turns in Proteins," <i>J. Mol. Biol.</i> , 233:733-747 (1994).
	Maynard, A. et al., "NMR structural analysis of a β -hairpin peptide designed for DNA binding," <i>Chem. Commun.</i> , pp. 1297-1298 (1997).
	Maynard, A. et al., "Origin of β -Hairpin Stability in Solution: Structural and Thermodynamic Analysis of the Folding of a Model Peptide Supports Hydrophobic Stabilization in Water," <i>J. Am. Chem. Soc.</i> , 120(9):1996-2007 (1998).
	Martin et al., "The affinity selection of a minobody polypeptide inhibitor of human interleukin-6," <i>EMBO Journal</i> , 13(22):5303-5309 (November 15, 1994).
	McBride et al., "Selection of Chymotrypsin Inhibitors from a Conformationally-constrained Combinatorial Peptide Library," <i>Journal of Molecular Biology</i> , Vol. 259, No. 4, pp. 819-827 (June 21, 1996).
	McCaflerty et al., "Phage antibodies: filamentous phage displaying antibody variable domains", <i>Nature</i> , 348:552-554 (1990)
	McGregor, "Selection of proteins and peptides from libraries displayed on filamentous bacteriophage", <i>Molecular Biotechnology</i> , 6:155-162 (1995)
	McLafferty et al., "M13 bacteriophage displaying disulfide-constrained microproteins", <i>Gene</i> , 128:29-36 (1993)
	McMifield, R.B., "Solid Phase Peptide Synthesis I. The Synthesis of a Tetrapeptide", <i>J. Am. Chem. Soc.</i> , 85:2149-2154 (1963)
	Milburn et al., "Chain reversals in model peptides: studies of cystine-containing cyclic peptides. II. Effects of valyl residues and possible i-to-(i + 3) attractive ionic interactions on cyclization of [Cys ¹], [Cys ²] hexapeptides", <i>International Journal of Peptide & Protein Research</i> , 31(3):311-321 (March 1988)
	Milner-White, E., "Predicting the biologically active conformations of short polypeptides," <i>Trends in Pharmacological Sciences</i> , 10(2):70-74 (February 1989).
	Minor and Kim, "Measurement of the β -sheet-forming propensities of amino acids", <i>Nature</i> , 367:660-663 (February 17, 1994)
	Minor, Jr., D. et al., "Context is a major determinant of β -sheet propensity", <i>Nature</i> , 371:264-267 (September 15, 1994).

EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

07-19-04 12:51PM FROM-Merchant & Gould

6123329081

T-741 P.010/012 F-099

Date Mailed: July 19, 2004

Sheet 7 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT		Docket Number: 11669.118USDI	Application Number: 10873,006
IN AN APPLICATION (Use several sheets if necessary)		Applicant: COCHRAN ET AL	
		Filing Date: APRIL 12, 2004	Group Art Unit: 1639
		Customer No.: 23552	

	Munoz, V. et al., "Intrinsic Secondary Structure Propensities of the Amino Acids, Using Statistical ϕ - ψ Matrices: Comparison With Experimental Scales," <i>Proteins: Structure, Function, and Genetics</i> , 20:301-311 (1994).
	Munoz et al., "Folding dynamics and mechanism of B-hairpin formation", <i>Nature</i> , 390:196-199 (November 13, 1997)
	Myzica et al., "Design and characterization of an intramolecular antiparallel coiled coil peptide," <i>Biochemistry</i> , 33(9):2363-2372 (March 8, 1994).
	Nygren et al., "Scaffolds for engineering novel binding sites in proteins," <i>Current Opinion in Structural Biology</i> , 7(4):463-469 (August 1997).
	O'Boyle et al., "Identification of a novel peptide substrate of HSV-1 protease using substrate phage display", <i>Virology</i> , 236:338-347 (1997)
	O'Neil and Hoces, "Phage display protein engineering by directed evolution", <i>Current Opinion in Structural Biology</i> , 5:443-449 (1995)
	Privalov and Gill, "Stability of Protein Structure and Hydrophobic Interaction", <i>Advances in Protein Chemistry</i> , 39:191-234 (1988)
	Ramirez-Alvarado et al., "B-Hairpin and B-Sheet Formation in Designed Linear Peptides", <i>Biorganic & Medicinal Chemistry</i> , 7:93-103 (1999)
	Ramirez-Alvarado et al., "Conformational analysis of peptides corresponding to all the secondary structure elements of protein L-B1 domain: Secondary structure propensities are not conserved in proteins with the same fold", <i>Protein Science</i> , 6:162-174 (1997)
	Ramirez-Alvarado et al., "De novo design and structural analysis of a model B-hairpin peptide system", <i>Nature Structural Biology</i> , 3(7):604-612 (July 1996)
	Ramirez-Alvarado et al., "Role of B-Turn Residues in B-Hairpin Formation and Stability in Designed Peptides", <i>J. Mol. Biol.</i> , 273:898-912 (1997)
	Ren et al., "Cloning of linear DNAs <i>in vivo</i> by overexpressed T4 DNA ligase: construction of a T4 phage hex gene display vector", <i>Chemical Abstracts</i> (Abstract No. 215644q) 127(16):155 (1997)
	Ren et al., "Phage display of intact domains at high copy number: A system based on SOC, the small outer capsid protein of bacteriophage T4", <i>Protein Science</i> , 5:1833-1843 (1996)
	Ren et al., "Phage T4 SOC and HOC display of biologically active, full-length proteins on the viral capsid", <i>Gene</i> , 215:439-444 (1998)
	Ried, C. et al., "High Affinity Endotoxin-binding and Neutralizing Peptides Based on the Crystal Structure of Recombinant <i>Lemulus</i> Anti-lipopolysaccharide Factor," <i>Journal of Biological Chemistry</i> , 271(45):28120-28127 (November 8, 1996).
	Rietman et al., "The solution structure of the synthetic circular peptide QGVSRQGKPYC NMR studies of the folding of a synthetic model for the DNA-binding loop of the ssDNA-binding protein encoded by gene V of phage M13", <i>Eur. J. of Biochem.</i> , 238: 706-713 (1996)

EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

*Substitute Disclosure Statement Form (PTO-1449)

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

PAGE 10121 RCVD AT 7/19/2004 2:08:21 PM [Eastern Daylight Time] SVR:USPTO-EPRXF-17 DAS:8729308 CSID:6123329081 DURATION (min:ss):04:08

Date Mailed: July 19, 2004

Sheet N of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT IN AN APPLICATION (Use several sheets if necessary)		Docket Number: 11669.118USD1	Application Number: 10/823,006
		Applicant: COCHRAN ET AL.	
		Filing Date: APRIL 12, 2004	Group Art Unit: 1639
		Customer No.: 23552	

	Rohrer, S. et al., "Rapid Identification of Subtype-Selective Agonists of the Somatosmin Receptor Through Combinatorial Chemistry", <i>Science</i> , 282:737-740 (October 23, 1998).
	Russell and Cochran, "Designing Stable B-Hairpins: Energetic Contributions from Cross-Strand Residues", <i>J. Am. Chem. Soc.</i> , 122:12660-12661 (2000)
	Scot and Smith, "Searching for peptide ligands with an epitope library", <i>Science</i> , 249:386-390 (1990)
	Searle, M. et al., "A short linear peptide derived from the N-terminal sequence of ubiquitin folds into a water-stable non-native β -hairpin", <i>Nature Structure Biology</i> , 2(11):999-1006 (November 1995).
	Sibanda et al., "Conformation of B-Hairpins in Protein Structures", <i>J. Mol. Biol.</i> , 206:759-777 (1989)
	Skelton et al., "Determination of the Solution Structure of the Peptide Hormone Guanylin: Observation of a Novel Form of Topological Stereoisomerism", <i>Biochemistry</i> , 33:13581-13592 (1994)
	Smith and Pease, "Reverse turns in peptides and proteins," <i>CRC Critical Reviews in Biochemistry</i> , 8(4):315-399 (1980).
	Smith and Scot, "Libraries of Peptides and Proteins Displayed on Filamentous Phage", <i>Methods in Enzymology</i> , 217:228-257 (1993)
	Smith et al., "Small binding proteins selected from a combinatorial repertoire of knottins displayed on phage," <i>Journal of Molecular Biology</i> , 277(2):317-332 (March 27, 1998).
	Smith, "Surface display and peptide libraries", <i>Gene</i> , 128:1-2 (1993)
	Smith, C. et al., "A Thermodynamic Scale for the β -Sheet Forming Tendencies of the Amino Acids," <i>Biochemistry</i> , 33(18):5510-5517 (1994).
	Smith, C. et al., "Guidelines for Protein Design: The Energetics of β Sheet Side Chain Interactions," <i>Science</i> , 270:980-982 (November 10, 1995).
	Smith, G.P., "Surface presentation of protein epitopes using bacteriophage expression systems", <i>Curr. Opin. Biotechnol.</i> , 2(5):668-673 (1991)
	Soumillion et al., "Phage display of enzymes and in vitro selection for catalytic activity", <i>Applied Biochemistry and Biotechnology</i> , 47:175-190 (1994)
	Stanger and Gellman, "Rules for Antiparallel B-Sheet Design: D-Pro-Gly is Superior to L-Asn-Gly for B-Hairpin Nucleation", <i>J. Am. Chem. Soc.</i> , 120:4236-4237 (1998)
	Stroup and Giersch, "Reduced Tendency to Form a β Turn in Peptides from the P22 Tailspike Protein Correlates with a Temperature-Sensitive Folding Defect", <i>Biochemistry</i> , 29:9765-9771 (1990)
	Syud et al., "NMR-Based Quantification of B-Sheet Populations in Aqueous Solution through Use of Reference Peptides for the Folded and Unfolded States", <i>J. Am. Chem. Soc.</i> , 121:11577-11578 (1999)
	Syud, F. et al., "Intersstrand Side Chain-Side Chain Interactions in a Designed β -Hairpin: Significance of Both Lateral and Diagonal Pairings," <i>J. Am. Chem. Soc.</i> , 123(30):8667-8677 (2001).
	Thamarasu and Nagaraj, "Synthetic Peptides Corresponding to the B-Hairpin Loop of Rabbit Descnsin NP-2 Show Antimicrobial Activity", <i>Biochem. & Biophys. Res. Comm.</i> , 254:281-283 (1999)

EXAMINER	DATE CONSIDERED
----------	-----------------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

*Substitute Disclosure Statement Form (PTO-1449)

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

07-19-04 12:52PM FROM-Merchant & Gould

6123329081

T-741 P.012/012 F-039

Date Mailed: July 19, 2004

Sheet 9 of 9

FORM 1449* INFORMATION DISCLOSURE STATEMENT		Docket Number: 11669.118USD1	Application Number: 10/823,006
IN AN APPLICATION (Use several sheets if necessary)		Applicant: COCHRAN ET AL	
		Filing Date: APRIL 12, 2004	Group Art Unit: 1639
		Customer No.: 23552	

	Vita et al., "Novel miniproteins engineered by the transfer of active sites to small natural scaffolds," <i>Biopolymers</i> , 47(1):93-100 (1998).
	Vita et al., "Rational engineering of a miniprotein that reproduces the core of the CDM site interacting with HIV-1 envelope glycoprotein," <i>Proc. Natl. Acad. Sci. USA</i> , 96(23):13091-13096 (November 9, 1999).
	Walde et al., "Structure of a cyclic peptide with a catalytic triad, determined by computer simulation and NMR spectroscopy", <i>J. Comput. Aided Mol. Des.</i> , 10:11-22 (1996)
	Wells et al., "Cassette Mutagenesis: an Efficient Method for Generation of Multiple Mutations at Defined Sites", <i>Gene</i> , 34(2-3):315-323 (1985)
	Wiesmann et al., "Crystal Structure of the Complex between VEGF and a Receptor-Blocking Peptide", <i>Biochemistry</i> , 37:17763-17772 (1998)
	Wouters, M. et al., "An Analysis of Side Chain Interactions and Pair Correlations Within Antiparallel β -Sheets: The Differences Between Backbone Hydrogen-Bonded and Non-Hydrogen-Bonded Residue Pairs," <i>Proteins: Structure, Function, and Genetics</i> , 22:119-131 (1995)
	Wrighton et al., "Small peptides as potent trimers of the protein hormone erythropoietin", <i>Science</i> , 273:458-463 (July 26, 1996)
	Zerella et al., "Autonomous folding of a peptide corresponding to the N-terminal 8-hairpin from ubiquitin", <i>Protein Science</i> , 8:1320-1331 (1999)
	Zerella et al., "Structural characterization of a mutant peptide derived from ubiquitin: Implications for protein folding", <i>Protein Science</i> , 9:2142-2150 (2000)
	Zhang et al., "Synthetic CD4 ectocyclic peptides antagonize CD4浩oreceptor binding and T cell activation", <i>Nature Biotechnology</i> , 14:472-475 (April 1996)
	Zhang et al., "Synthetic CD4 ectocyclics inhibit binding of human immunodeficiency virus type I envelope to CD4 and virus replication in T lymphocytes", <i>Nature Biotechnology</i> , 15(2):151-154 (Feb. 1997)
	Zhang, "Conformational Mimicry of a Chlamydia/Neutralization Epitope on Filamentous Phage", <i>Journal of Biological Chemistry</i> , 269(39):24183-24188 (1994)
	Zoller and Smith, "Oligonucleotide-directed Mutagenesis Using M13-derived Vectors: An Efficient and General Procedure for the Production of Point Mutations in Any Fragment of DNA", <i>Nucl. Acids Res.</i> , 10(20):6487-6500 (1982)

EXAMINER	DATE CONSIDERED
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.	

*Substitute Disclosure Statement Form (PTO-1449).

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

PAGE 12/12 *RCVD AT 7/19/2004 2:06:21 PM [Eastern Daylight Time] *SVC:USPTO-EFXRF-17 *DMS:8729306 *CSD:6123329081 *DURATION (mm:ss):04-08